

Bulk Silica - C18**9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

SECTION 1. IDENTIFICATION

Product name : Bulk Silica - C18

Number : 000000014887

Product Use Description : Laboratory Use

Manufacturer or supplier's details : Honeywell International Inc.
1953 South Harvey Street
Muskegon, MI 49442

For more information call : 1-800-368-0050
+1-231-726-3171
(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : powder

Color : white

Odor : none

Classification of the substance or mixture

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

Precautionary statements : **Prevention:**
Use personal protective equipment as required.

Bulk Silica - C18**9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

Hazards not otherwise classified : Repeated or prolonged exposure may irritate eyes, skin and respiratory system.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Substance

Chemical name	CAS-No.	Concentration
Silane, trichlorooctadecyl-, hydrolysis products with silica	71889-02-6	100.00 %

SECTION 4. FIRST AID MEASURES

Inhalation : Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician if irritation develops or persists.

Skin contact : Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician if irritation develops or persists.

Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.

Ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician.

Notes to physician

Bulk Silica - C18**9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

Indication of immediate medical attention and special treatment needed, if necessary : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Foam
Dry chemical
Carbon dioxide (CO₂)

Specific hazards during firefighting : The product is not flammable.
In case of fire hazardous decomposition products may be produced such as:
Carbon monoxide
Carbon dioxide (CO₂)
Silicon oxides

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
Do not swallow.
Avoid breathing dust.
Avoid contact with skin, eyes and clothing.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Discharge into the environment must be avoided.
Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up : Ventilate the area.
Avoid dust formation.
Sweep up and shovel into suitable containers for disposal.

Bulk Silica - C18**9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

SECTION 7. HANDLING AND STORAGE**Handling**

Precautions for safe handling : Wear personal protective equipment.
Use only in well-ventilated areas.
Keep container tightly closed.
Avoid dust formation.
Do not swallow.
Avoid breathing dust.
Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Conditions for safe storage, including any incompatibilities : Keep containers tightly closed in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep away from heat and sources of ignition.
Protect from physical damage.
Store away from incompatible substances.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.

Engineering measures : Use with local exhaust ventilation.

Eye protection : Wear as appropriate:
Safety goggles
Safety glasses with side-shields

Hand protection : Protective gloves
Gloves must be inspected prior to use.
Replace when worn.

Skin and body protection : Wear as appropriate:
Apron
Boots
Protective suit

Bulk Silica - C18**9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
Use NIOSH approved respiratory protection.
- Hygiene measures : When using, do not eat, drink or smoke.
Wash hands before breaks and immediately after handling the product.
Keep working clothes separately.
Remove and wash contaminated clothing before re-use.
Avoid dust formation.
Do not swallow.
Avoid breathing dust.
Avoid contact with skin, eyes and clothing.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
Particulates Not Otherwise Regulated		TWA : Time weighted average	10 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values
Further information	:	Form of exposure : Inhalable particles.			
Particulates Not Otherwise Regulated		TWA : Time weighted average	3 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values
Further information	:	Form of exposure : Respirable particles.			
Particulates Not Otherwise Regulated		PEL : Permissible exposure limit	15 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Further information	:	Form of exposure : Total dust.			

SAFETY DATA SHEET

**Bulk Silica - C18****9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

Particulates Not Otherwise Regulated		PEL : Permissible exposure limit	5 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
--------------------------------------	--	----------------------------------	---------	---------	--

Further information	:	Form of exposure : Respirable fraction.			
---------------------	---	---	--	--	--

Particulates Not Otherwise Regulated		TWA : Time weighted average	15 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
--------------------------------------	--	-----------------------------	----------	------	---

Further information	:	Form of exposure : Total dust.			
---------------------	---	--------------------------------	--	--	--

Particulates Not Otherwise Regulated		TWA : Time weighted average	5 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
--------------------------------------	--	-----------------------------	---------	------	---

Further information	:	Form of exposure : Respirable fraction.			
---------------------	---	---	--	--	--

Particulates Not Otherwise Regulated		TWA : Time weighted average	15 mg/m3	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
--------------------------------------	--	-----------------------------	----------	------	--

Further information	:	Form of exposure : Total dust.			
---------------------	---	--------------------------------	--	--	--

Particulates Not Otherwise Regulated		TWA : Time weighted average	5 mg/m3	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
--------------------------------------	--	-----------------------------	---------	------	--

Further information	:	Form of exposure : Respirable fraction.			
---------------------	---	---	--	--	--

Particulates Not Otherwise Regulated		TWA : Time weighted average	50 millions of particles per cubic foot of air	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
--------------------------------------	--	-----------------------------	--	------	--

Further information	:	Form of exposure : Total dust.			
---------------------	---	--------------------------------	--	--	--

Bulk Silica - C18**9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

Particulates Not Otherwise Regulated		TWA : Time weighted average	15 millions of particles per cubic foot of air	2000	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000)
Further information	:	Form of exposure : Respirable fraction.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	powder
Color	:	white
Odor	:	none
Boiling point/boiling range	:	Note: not determined
Flash point	:	Note: Not applicable
lower flammability limit	:	Note: Not applicable
upper flammability limit	:	Note: Not applicable
Vapor pressure	:	Note: not determined
Vapor density	:	Note: not determined
Density	:	Note: not determined
Water solubility	:	Note: negligible

Bulk Silica - C18**9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Hazardous polymerisation does not occur.
Conditions to avoid	: Protect from moisture. Keep away from heat. Avoid dust formation.
Incompatible materials	: Hydrofluoric acid Fluorine Oxygen difluoride Chlorine trifluoride Strong acids Strong bases Oxidizing agents
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon monoxide Carbon dioxide (CO ₂) Silicon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Further information : Note: No toxicology information is available.

SECTION 12. ECOLOGICAL INFORMATION**Further information on ecology**

Additional ecological information : We have no quantitative data concerning the ecological effects of this product.
Aquatic toxicity is unlikely due to low solubility.
Not inherently biodegradable.

Bulk Silica - C18**9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

TDG Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION**Inventories**

US. Toxic Substances Control Act : On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act : On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Korea. Existing Chemicals Inventory (KECI) : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances : On the inventory, or in compliance with the inventory

National regulatory information

Bulk Silica - C18**9952**

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

- SARA 302 Components** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313 Components** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
- SARA 311/312 Hazards** : Acute Health Hazard
- California Prop. 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 1	1
Flammability	: 1	1
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Bulk Silica - C18

9952

Version 1.2

Revision Date 07/18/2018

Print Date 07/31/2019

Previous Issue Date: 01/05/2015

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group