

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

SECTION 1. IDENTIFICATION

Product name : Potassium hydroxide solution

Number : 000000020658

Product Use Description : Laboratory chemicals

Manufacturer or supplier's details : Honeywell Specialty Chemicals Seelze GmbH
Wunstorfer Straße 40
Seelze, 30926

For more information call : 1-800-368-0050
+1-231-726-3171(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : liquid

Color : colourless

Odor : odourless

Classification of the substance or mixture

Classification of the substance or mixture : Corrosive to metals, Category 1
Acute toxicity, Category 4, Oral
Skin corrosion, Category 1A
Serious eye damage, Category 1

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

GHS Label elements, including precautionary statements

Symbol(s)

:



Signal word

: Danger

Hazard statements

: May be corrosive to metals.
Harmful if swallowed.
Causes severe skin burns and eye damage.

Precautionary statements

: **Prevention:**
Keep only in original container.
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.**Response:**

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/ doctor.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Storage:

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : HKO

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Water	7732-18-5	>=50.00 - <70.00 %
Potassium hydroxide	1310-58-3	>=30.00 - <50.00 %

SECTION 4. FIRST AID MEASURES

General advice : Immediately take off contaminated clothing and rinse body with plenty of water. First aider needs to protect himself.

Inhalation : Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.

Skin contact : Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician immediately.

Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Protect unharmed eye. Call a physician immediately.

Ingestion : When swallowed, allow water to be drunk. Do NOT induce vomiting. Call a physician immediately.

Notes to physician

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

Most important symptoms/effects, acute and delayed : No information available.

Indication of immediate medical attention and special treatment needed, if necessary : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry powder

Specific hazards during firefighting : Contact with metals liberates hydrogen gas.
Fire may cause evolution of:
Potassium oxide

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Wear personal protective equipment. Unprotected persons must be kept away.
Ensure adequate ventilation.
Do not get in eyes, on skin, or on clothing.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
Should not be released into the environment.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
Sweep up and shovel into suitable containers for disposal.
Dispose of in accordance with local regulations.

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

SECTION 7. HANDLING AND STORAGE**Handling**

Precautions for safe handling : Wear personal protective equipment.
Use only in well-ventilated areas.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Conditions for safe storage, including any incompatibilities : Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.

Eye protection : Safety goggles
Face-shield

Hand protection : Impervious gloves
Gloves must be inspected prior to use.
Replace when worn.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene measures : Take off all contaminated clothing immediately.
Remove and wash contaminated clothing before re-use.
Separate rooms are required for washing, showering and changing clothes.
Wash hands before breaks and at the end of workday.

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

When using do not eat or drink.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
Potassium hydroxide	1310-58-3	Ceiling : Ceiling Limit Value:	2 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended
Potassium hydroxide	1310-58-3	Ceil_Tim e : Ceiling Limit Value and Time Period (if specified) :	2 mg/m3	2016	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Potassium hydroxide	1310-58-3	Ceiling : Ceiling Limit Value:	2 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: colourless
Odor	: odourless
Odor threshold	: Note: No data available
pH	: 14 at , 20 °C
Melting point/range	: ca. -6 °C
Boiling point/boiling range	: ca. 112 °C at 1,013 hPa

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

Flash point	: Note: Not applicable
Evaporation rate	: Note: No data available
Lower explosion limit	: Note: Not applicable
Upper explosion limit	: Note: Not applicable
Vapor density	: Note: No data available
Density	: ca. 1.510 g/cm ³ at 20 °C
Water solubility	: Note: completely soluble
Partition coefficient: n-octanol/water	: Note: No data available
Ignition temperature	: Note: Not applicable
Viscosity, dynamic	: Note: No data available
Viscosity, kinematic	: Note: No data available
Molecular weight	: 56.11 g/mol
Corrosivity	: Note: Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
------------	--

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Possible incompatibility with alkali sensitive materials. With acid and aluminium. Reacts violently with water. Corrosive in contact with metals
Conditions to avoid	: No information available.
Incompatible materials	: Aluminium Tin Zinc Ammonium salts Corrosive in contact with metals Gives off hydrogen by reaction with metals. Exothermic reaction with water. Exothermic reaction with strong acids.
Hazardous decomposition products	: Potassium oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Acute toxicity estimate: 740 mg/kg Species: Rat
	: Acute toxicity estimate: 811.11 mg/kg Method: Calculation method
Acute inhalation toxicity	: Note: No data available
Acute dermal toxicity	: Note: No data available
Skin irritation	: Result: Causes severe burns. Classification: Corrosive

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

Eye irritation : Note: No data available

Sensitisation : Species: Guinea pig
Classification: non-sensitizing
Test substance: KOH (0,1%)

Repeated dose toxicity : Note: No data available

Genotoxicity in vitro : Test Method: Ames test
Metabolic activation: with and without metabolic activation
Result: negative
Test substance: anhydrous substance

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish : Note: No data available

Toxicity to daphnia and other aquatic invertebrates : Note: No data available

Toxicity to algae : Note: No data available

Elimination information (persistence and degradability)

Biodegradability : Note: The methods for determining the biological degradability are not applicable to inorganic substances.

Further information on ecology**SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Observe all Federal, State, and Local Environmental

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 1814
Proper shipping name : POTASSIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Hazard Labels : 8

IATA UN/ID No. : UN 1814
Description of the goods : POTASSIUM HYDROXIDE SOLUTION
Class : 8
Packaging group : II
Hazard Labels : 8
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851
Packing instruction (passenger aircraft) : Y840

IMDG UN/ID No. : UN 1814
Description of the goods : POTASSIUM HYDROXIDE SOLUTION
Class : 8
Packaging group : II
Hazard Labels : 8
EmS Number : F-A, S-B
Marine pollutant : no
IMDG Code segregation group 18 – ALKALIS,

SECTION 15. REGULATORY INFORMATION**Inventories**

US. Toxic Substances : On TSCA Inventory
Control Act

Australia. Industrial : On the inventory, or in compliance with the inventory
Chemicals Act (AIC), as
amended

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) : On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

US. EPA CERCLA Hazardous Substances (40 CFR 302) : The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the Reportable Quantity (RQ):

Reportable quantity: 1000 lbs
: Potassium hydroxide 1310-58-3

SARA 302 Components : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards : Acute Health Hazard

CERCLA Reportable Quantity : 2222 lbs

Potassium hydroxide solution**03564-100ML**

Version 1.1

Revision Date 11/15/2021

Print Date 05/29/2023

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts RTK : Potassium hydroxide 1310-58-3

New Jersey RTK : Potassium hydroxide 1310-58-3

Pennsylvania RTK : Potassium hydroxide 1310-58-3

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 3*	3
Flammability	: 0	0
Physical Hazard	: 2	
Instability	:	1

* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 10/06/2016

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group