

Ethylene glycol**03770-1L**

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

SECTION 1. IDENTIFICATION

Product name : Ethylene glycol

Number : 000000020944

Product Use Description : Laboratory chemicals
Scientific research and development

Manufacturer or supplier's details : Honeywell International Inc.
1953 South Harvey Street
Muskegon, MI 49442

For more information call : 1-800-368-0050
+1-231-726-3171(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : liquid

Color : blue

Odor : No information available.

Classification of the substance or mixture

Classification of the substance or mixture : Reproductive toxicity, Category 2
Reproductive toxicity, Category 2
Specific target organ toxicity - repeated exposure, Category 2,
Oral, Kidney
Specific target organ toxicity - repeated exposure, Category 2,
Oral, Kidney

Ethylene glycol

03770-1L

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

GHS Label elements, including precautionary statements

Symbol(s)

:



Signal word

: Warning

Hazard statements

: Suspected of damaging fertility or the unborn child.
May cause damage to organs (/*_ORG_REP_ORAL/*)
through prolonged or repeated exposure if swallowed.

Precautionary statements

: **Prevention:**
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Use personal protective equipment as required.**Response:**

IF exposed or concerned: Get medical advice/ attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula

: C₂H₆O₂

Chemical nature

: Mixture

Ethylene glycol

03770-1L

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

Chemical name	CAS-No.	Concentration
Ethylene Glycol	107-21-1	>=90.00 - <=100.00 %
Sodium 2-ethylhexanoate; 2-Ethylhexanoic acid sodium salt	19766-89-3	>=5.00 - <10.00 %
Water	7732-18-5	>=1.00 - <5.00 %
Sebacic acid	111-20-6	>=0.00 - <2.00 %

SECTION 4. FIRST AID MEASURES

General advice	: First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.
Inhalation	: If breathed in, move person into fresh air. If symptoms persist, call a physician.
Skin contact	: After contact with skin, wash immediately with plenty of soap and water. If symptoms persist, call a physician.
Eye contact	: Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. If eye irritation persists, consult a specialist.
Ingestion	: When swallowed, allow water to be drunk. Rinse mouth. Call a physician immediately.

Notes to physician

Most important symptoms/effects, acute and delayed	: No information available.
Indication of immediate medical attention and special treatment needed, if necessary	: Treat symptomatically.

Ethylene glycol**03770-1L**

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Dry chemical
Alcohol-resistant foam
Carbon dioxide (CO₂)
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
Carbon monoxide
Carbon dioxide (CO₂)
Sodium oxides
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Wear personal protective equipment. Unprotected persons must be kept away.
Avoid contact with skin and eyes.
Ensure adequate ventilation.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
Sweep up and shovel into suitable containers for disposal.
Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE**Handling**

- Precautions for safe : Wear personal protective equipment.

Ethylene glycol

03770-1L

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

handling

Use only in well-ventilated areas.
Avoid inhalation, ingestion and contact with skin and eyes.

Advice on protection against fire and explosion

Normal measures for preventive fire protection.
Keep away from sources of ignition - No smoking.

Storage

Conditions for safe storage, including any incompatibilities

Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures

: Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.
Do not breathe vapours or spray mist.
Avoid contact with skin, eyes and clothing.

Engineering measures

: Use with local exhaust ventilation.

Eye protection

: Safety goggles

Hand protection

: Latex gloves
Gloves must be inspected prior to use.
Replace when worn.

Skin and body protection

: Protective suit

Respiratory protection

: In case of insufficient ventilation wear suitable respiratory equipment.

Hygiene measures

: When using, do not eat, drink or smoke.
Wash hands before breaks and immediately after handling the product.
Keep working clothes separately.
Remove and wash contaminated clothing before re-use.

Exposure Guidelines

Components	CAS-No.	Value	Control	Upda	Basis
------------	---------	-------	---------	------	-------

Ethylene glycol

03770-1L

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

			parameters	te	
Ethylene Glycol	107-21-1	STEL : Short term exposure limit	10 mg/m3	03 2017	ACGIH:US. ACGIH Threshold Limit Values, as amended
Further information	:	Form of exposure : Aerosol, inhalable.			
Ethylene Glycol	107-21-1	STEL : Short term exposure limit	(50 ppm)	03 2017	ACGIH:US. ACGIH Threshold Limit Values, as amended
Further information	:	Form of exposure : Vapor fraction			
Ethylene Glycol	107-21-1	TWA : Time weighted average	(25 ppm)	03 2017	ACGIH:US. ACGIH Threshold Limit Values, as amended
Further information	:	Form of exposure : Vapor fraction			
Ethylene Glycol	107-21-1	Ceiling : Ceiling Limit Value:	125 mg/m3 (50 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: blue
Odor	: No information available.
Odor threshold	: Note: No data available
pH	: Note: No data available

Ethylene glycol**03770-1L**

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

Melting point/range	: -20 °C
Boiling point/boiling range	: Note: No data available
Flash point	: 232 °F (111 °C)
Evaporation rate	: Note: No data available
Lower explosion limit	: 3.2 %(V) Note: The physical data is that of the main component.
Upper explosion limit	: 15.3 %(V) Note: The physical data is that of the main component.
Vapor pressure	: Note: No data available
Vapor density	: Note: No data available
Density	: 1.115 g/cm ³
Water solubility	: Note: completely miscible
Ignition temperature	: Note: No data available
Viscosity, dynamic	: Note: No data available
Viscosity, kinematic	: Note: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

Ethylene glycol**03770-1L**

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Hazardous polymerisation does not occur.
Conditions to avoid	: Heat, flames and sparks. Keep away from direct sunlight.
Incompatible materials	: Strong oxidizing agents Strong acids
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Alcohols Aldehydes carbon oxides (CO, CO ₂).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Note: No data available
Acute inhalation toxicity	: Note: No data available
Acute dermal toxicity	: Note: No data available
Skin irritation	: Note: No data available
Eye irritation	: Note: No data available
Sensitisation	: Note: No data available

Ethylene glycol**03770-1L**

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

Repeated dose toxicity

Ethylene Glycol

: Species: Rat
Application Route: Oral
Exposure time: (13 Weeks)
Kidney toxicity

Species: Rat
Application Route: Oral
Exposure time: (16 Weeks)
NOEL: 71 mg/kg
Kidney damage

Genotoxicity in vitro

: Note: No data available

Carcinogenicity

Ethylene Glycol

: Species: Rat
Application Route: Oral
Exposure time: Lifetime Exposure
Note: Did not show carcinogenic effects in animal experiments.

Species: Mouse
Application Route: Oral
Exposure time: Lifetime Exposure
Note: Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

Ethylene Glycol

: Species: Mouse
Method: No toxicity to reproduction

Species: Rat
Method: No toxicity to reproduction

Further information

Ethylene Glycol

: Note:
Acute toxicity
Can cause kidney toxicity, narcotic effects and metabolic acidosis.

Ethylene glycol**03770-1L**

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish : Note: No data available

Toxicity to daphnia and other aquatic invertebrates : Note: No data available

Toxicity to algae : Note: No data available

Biodegradability
Ethylene Glycol : Note: Readily biodegradable.**Further information on ecology****SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION**DOT** Not dangerous goods**TDG** Not dangerous goods**IATA** Not dangerous goods**IMDG** Not dangerous goods**SECTION 15. REGULATORY INFORMATION****Inventories**

Ethylene glycol**03770-1L**

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

US. Toxic Substances Control Act	: Not On TSCA Inventory
Australia. Inventory of Industrial Chemicals (AIIC), as amended	: Not in compliance with the inventory
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	: Not in compliance with the inventory
Japan. Kashin-Hou Law List	: On the inventory, or in compliance with the inventory
Korea. Existing Chemicals Inventory (KECI)	: On the inventory, or in compliance with the inventory
Philippines. Inventory of Chemicals and Chemical Substances (PICCS)	: On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances (IECSC)	: On the inventory, or in compliance with the inventory
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand	: On the inventory, or in compliance with the inventory
Taiwan Chemical Substance Inventory (TCSI)	: On the inventory, or in compliance with the inventory

National regulatory information

US. EPA CERCLA Hazardous Substances (40 CFR 302)	: The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the Reportable Quantity (RQ):
	Reportable quantity: 5000 lbs
	: Ethylene Glycol 107-21-1
TSCA	: This material must be used in compliance with the TSCA Research and Development Exemption requirements (40 CFR 720.36).

Ethylene glycol

03770-1L

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

SARA 302 Components	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 Components	:	The following components are subject to reporting levels established by SARA Title III, Section 313: Ethylene Glycol 107-21-1
SARA 311/312 Hazards	:	Acute Health Hazard
California Prop. 65	:	 WARNING: This product can expose you to chemicals, listed below, known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . Ethylene Glycol 107-21-1
Massachusetts RTK	:	Ethylene Glycol 107-21-1
New Jersey RTK	:	Ethylene Glycol 107-21-1
Pennsylvania RTK	:	Ethylene Glycol 107-21-1

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 2*	2
Flammability	: 1	1
Physical Hazard	: 0	
Instability	:	0

* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe

Ethylene glycol**03770-1L**

Version 1.4

Revision Date 02/07/2024

Print Date 02/08/2024

handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 08/21/2018

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group