

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

SECTION 1. IDENTIFICATION

Product name : Sodium hydroxide

Number : 000000020688

Product Use Description : Laboratory chemicals

Manufacturer or supplier's details : Honeywell Specialty Chemicals Seelze GmbH
Wunstorfer Straße 40
Seelze, 30926

For more information call : 1-800-368-0050
+1-231-726-3171(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : solid

Color : colourless

Odor : odourless

Classification of the substance or mixture

Classification of the substance or mixture : Corrosive to metals, Category 1
Skin corrosion, Category 1A
Serious eye damage, Category 1

GHS Label elements, including precautionary statements

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

Symbol(s)

:



Signal word

: Danger

Hazard statements

: May be corrosive to metals.
Causes severe skin burns and eye damage.

Precautionary statements

: **Prevention:**
Keep only in original container.
Do not breathe dust or mist.
Wash skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.**Response:**

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Storage:

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : NaOH

Chemical nature : Substance

Chemical name	CAS-No.	Concentration
Sodium hydroxide	1310-73-2	100.00 %

SECTION 4. FIRST AID MEASURES

- General advice : First aider needs to protect himself. Take off all contaminated clothing immediately.
- Inhalation : Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.
- Skin contact : Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician immediately.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Protect unharmed eye. Call a physician immediately.
- Ingestion : When swallowed, allow water to be drunk. Do NOT induce vomiting. Call a physician immediately.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO2)
Dry powder

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

- | | | |
|---|---|---|
| Specific hazards during firefighting | : | The product is not flammable.
Contact with metals liberates hydrogen gas.
Fire may cause evolution of:
Sodium oxides |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus and protective suit. |
| Further information | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Wear personal protective equipment. Unprotected persons must be kept away.
Evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak.
Ensure adequate ventilation.
Do not get in eyes, on skin, or on clothing. |
| Environmental precautions | : | Prevent further leakage or spillage if safe to do so.
Discharge into the environment must be avoided.
Do not flush into surface water or sanitary sewer system.
Do not allow run-off from fire fighting to enter drains or water courses. |
| Methods and materials for containment and cleaning up | : | Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus.
Use mechanical handling equipment.
Sweep up or vacuum up spillage and collect in suitable container for disposal.
Dispose of in accordance with local regulations. |

SECTION 7. HANDLING AND STORAGE**Handling**

- | | | |
|-------------------------------|---|---|
| Precautions for safe handling | : | Wear personal protective equipment.
Use only in well-ventilated areas.
Use only alkali-proof equipment. |
|-------------------------------|---|---|

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

When diluting, always add the product to water. Never add water to the product.

Do not get in eyes, on skin, or on clothing.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Conditions for safe storage, including any incompatibilities : Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.

Further information on storage conditions : Protect from atmospheric moisture and water.
Product is hygroscopic.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.
Do not breathe dust or spray mist.

Engineering measures : Use with local exhaust ventilation.

Eye protection : Safety goggles
Face-shield

Hand protection : Impervious gloves
Gloves must be inspected prior to use.
Replace when worn.

Skin and body protection : Complete suit protecting against chemicals

Respiratory protection : In case of insufficient ventilation wear suitable respiratory equipment.

Hygiene measures : Take off all contaminated clothing immediately.
Remove and wash contaminated clothing before re-use.
Keep working clothes separately.
When using, do not eat, drink or smoke.

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

Wash hands before breaks and immediately after handling the product.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
Sodium hydroxide	1310-73-2	Ceiling : Ceiling Limit Value:	2 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values
Sodium hydroxide	1310-73-2	Ceil_Tim e : Ceiling Limit Value and Time Period (if specified) :	2 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Sodium hydroxide	1310-73-2	PEL : Permissible exposure limit	2 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Sodium hydroxide	1310-73-2	Ceiling : Ceiling Limit Value:	2 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Color : colourless

Odor : odourless

Odor threshold : Note: no data available

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

pH	: Note: alkaline
Melting point/range	: 319 °C
Boiling point/boiling range	: 1,390 °C at 1,013 hPa
Flash point	: Note: Not applicable
Evaporation rate	: Note: no data available
Flammability	: The product is not flammable.
Lower explosion limit	: Note: Not applicable
Upper explosion limit	: Note: Not applicable
Vapor pressure	: Note: no data available
Vapor density	: Note: no data available
Density	: 2.13 g/cm ³ at 20 °C
Water solubility	: Note: completely soluble
Partition coefficient: n-octanol/water	: Note: no data available
Ignition temperature	: Note: Not applicable
Viscosity, dynamic	: Note: no data available
Viscosity, kinematic	: Note: no data available

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : 40.00 g/mol

Corrosivity : Note: Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Possible incompatibility with alkali sensitive materials.
With acid and aluminium.
Reacts violently with water.
Corrosive in contact with metals

Conditions to avoid : Corrodes metals in the presence of water or moisture.
Protect from moisture.

Incompatible materials : Zinc
Aluminium
Tin
Gives off hydrogen by reaction with metals.
Exothermic reaction with water.
Exothermic reaction with strong acids.

Hazardous decomposition products : Sodium oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Note: Toxicity is determined by the corrosivity of the product.

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

Acute inhalation toxicity	: Note: Toxicity is determined by the corrosivity of the product.
Acute dermal toxicity	: Note: Toxicity is determined by the corrosivity of the product.
Skin irritation	: Result: Causes severe burns. Classification: Corrosive
Eye irritation	: Result: Risk of serious damage to eyes. Classification: Corrosive
Sensitisation	: Species: human Classification: non-sensitizing
Repeated dose toxicity	: Note: no data available
Genotoxicity in vitro	: Note: no data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish	: Note: no data available
Toxicity to daphnia and other aquatic invertebrates	: Immobilization EC50: 40.4 mg/l Exposure time: 48 h Species: Ceriodaphnia spec
Toxicity to algae	: Note: no data available

Elimination information (persistence and degradability)

Biodegradability	: Note: The methods for determining the biological degradability
------------------	--

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

are not applicable to inorganic substances.

Further information on ecology

Additional ecological information : Should not be released into the environment.
Neutralisation will reduce ecotoxic effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 1823
Proper shipping name : SODIUM HYDROXIDE, SOLID
Class : 8
Packing group : II
Hazard Labels : 8

IATA UN/ID No. : UN 1823
Description of the goods : SODIUM HYDROXIDE, SOLID
Class : 8
Packaging group : II
Hazard Labels : 8
Packing instruction (cargo aircraft) : 863
Packing instruction (passenger aircraft) : 859
Packing instruction (passenger aircraft) : Y844

IMDG UN/ID No. : UN 1823
Description of the goods : SODIUM HYDROXIDE, SOLID
Class : 8
Packaging group : II
Hazard Labels : 8
EmS Number : F-A, S-B
Marine pollutant : no
IMDG Code segregation group 18 – ALKALIS,

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

SECTION 15. REGULATORY INFORMATION**Inventories**

US. Toxic Substances Control Act : On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act : On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

US. EPA CERCLA Hazardous Substances (40 CFR 302) : The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the Reportable Quantity (RQ):

Reportable quantity: 1000 lbs

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

	:	Sodium hydroxide	1310-73-2
SARA 302 Components	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313 Components	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
SARA 311/312 Hazards	:	Acute Health Hazard	
CERCLA Reportable Quantity	:	1000 lbs	
California Prop. 65	:	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
Massachusetts RTK	:	Sodium hydroxide	1310-73-2
New Jersey RTK	:	Sodium hydroxide	1310-73-2
Pennsylvania RTK	:	Sodium hydroxide	1310-73-2

SECTION 16. OTHER INFORMATION

		HMIS III	NFPA
Health hazard	:	3*	3
Flammability	:	0	0
Physical Hazard	:	1	
Instability	:		1

* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

Sodium hydroxide**06203-1KG**

Version 1.1

Revision Date 09/03/2019

Print Date 05/29/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 10/07/2016

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group