



SAFETY DATA SHEET

1. Identification

Product identifier Deutero N-Nitrosodimethylamine RS (NDMA-d6)

Other means of identification
Catalog number 1175800

Recommended use For analytical laboratory use only.

Recommended restrictions Not for use as a drug. Not for administration to humans or animals.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name U. S. Pharmacopeia
Address 12601 Twinbrook Parkway
Rockville
MD
20852-1790
United States

Telephone Customer Service 301-881-0666
Website www.usp.org
E-mail RSTECH@usp.org

Emergency phone number CHEMTREC within US & 1-800-424-9300
Canada
CHEMTREC outside US & +1 703-527-3887
Canada

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 3
	Acute toxicity, dermal	Category 3
	Acute toxicity, inhalation	Category 3
	Carcinogenicity	Category 1
	Specific target organ toxicity, single exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. May cause cancer. Causes damage to organs.

Precautionary statement
Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area.

Response	If exposed: Call a poison center/doctor. If swallowed: Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. In case of fire: Use appropriate media to extinguish.
Storage	Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Methanol	Methyl alcohol	67-56-1	99.9
N-(Methyl-d3)-N-nitrosomethan-d3-amine		17829-05-9	0.1

4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if the substance is inhaled. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor/physician.
Skin contact	Rinse skin with water/shower. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if substance is ingested. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Central nervous system effects. Metabolic acidosis.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Remove from exposure. Remove contaminated clothing. For treatment advice, seek guidance from an occupational health physician or other licensed health-care provider familiar with workplace chemical exposures. In the United States, the national poison control center phone number is 1-800-222-1222. If person is not breathing, give artificial respiration. If breathing is difficult, give oxygen if available. Persons developing serious hypersensitivity (anaphylactic) reactions must receive immediate medical attention.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	By heating and fire, harmful vapors/gases may be formed.
Special protective equipment and precautions for firefighters	Use protective equipment appropriate for surrounding materials.
Fire fighting equipment/instructions	As with all fires, evacuate personnel to a safe area. Firefighters should use self-contained breathing equipment and protective clothing. Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Wear appropriate personal protective equipment. Avoid inhalation of vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.
Methods and materials for containment and cleaning up	Absorb spillage with suitable absorbent material. Remove sources of ignition. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	As a general rule, when handling USP materials, avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Clean equipment and work surfaces with suitable detergent or solvent after use. After removing gloves, wash hands and other exposed skin thoroughly. Select and use containment devices and personal protective equipment based on a risk assessment of material potency and exposure potential.
Conditions for safe storage, including any incompatibilities	Store in tight container. This material should be handled and stored per label instructions to ensure product integrity.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Methanol (CAS 67-56-1)	PEL	260 mg/m3	
		200 ppm	Skin

US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value	Form
Methanol (CAS 67-56-1)	STEL	250 ppm	Skin
	TWA	200 ppm	

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Components	Type	Value
Methanol (CAS 67-56-1)	IDLH	6 %
		6000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Components	Type	Value	Form
Methanol (CAS 67-56-1)	STEL	325 mg/m3	
		250 ppm	Skin
	TWA	260 mg/m3	
		200 ppm	

Biological limit values

ACGIH Biological Exposure Indices (BEI)

Components	Value	Determinant	Specimen	Sampling Time
Methanol (CAS 67-56-1)	15 mg/l	Methanol	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Methanol (CAS 67-56-1) Skin designation applies.

US - Tennessee OELs: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Methanol (CAS 67-56-1)

Danger of cutaneous absorption

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Methanol (CAS 67-56-1)

Can be absorbed through the skin.

Appropriate engineering controls

For laboratory operations, use good technique and limit open handling. Control exposures to below the occupational exposure level (if available). Select and use containment devices and personal protective equipment based on a risk assessment of exposure potential. Cover all containers for solutions and slurries while being transferred.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields, chemical splash goggles, or full face shield, if necessary. Base the choice of protection on the job activity and potential for contact with eyes or face. An emergency eye wash station should be available.

Skin protection

Hand protection

Wear nitrile or other impervious gloves if skin contact is possible. When the material is dissolved or suspended in an organic solvent, wear gloves that provide protection against the solvent.

Other

Wear lab coat. Base the choice of skin protection on the job activity, potential for skin contact and solvents and reagents in use. Do not wear protective garments in common areas (e.g., cafeterias) or out-of-doors.

Respiratory protection

Respirators are generally not required for laboratory operations. Choose respiratory protection appropriate to the task and the level of existing engineering controls.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Handling practices in this SDS are recommendations for laboratory use of USP materials.

9. Physical and chemical properties

Appearance

Appearance descriptions are general information and not specific to any USP lot.

Physical state

Liquid.

Form

Liquid.

Color

Yellow. Colorless.

Odor

Not available.

Odor threshold

Not available.

pH

Not available.

Melting point/freezing point

Not available.

Initial boiling point and boiling range

Not available.

Flash point

Not available.

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Solubility(ies)

Solubility (water)

Not available.

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Irritating and/or toxic fumes or gases. Emits toxic fumes under fire conditions.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Toxic if inhaled. May cause damage to organs by inhalation.
Skin contact	Toxic in contact with skin.
Eye contact	Knowledge about health hazard is incomplete.
Ingestion	Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Difficulty in breathing. Central nervous system effects. Visual disturbances. Gastrointestinal disturbances. Metabolic acidosis. Seizures.

Information on toxicological effects

Acute toxicity Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed.

Components	Species	Test Results
Methanol (CAS 67-56-1)		
Oral		
LD50	Rat	5600 mg/kg
N-(Methyl-d3)-N-nitrosomethan-d3-amine (CAS 17829-05-9)		
Acute		
Inhalation		
LC50	Rat	78 mg/l, 4 Hours
Oral		
LD50	Rat	27 mg/kg

Skin corrosion/irritation Knowledge about health hazard is incomplete.

Serious eye damage/eye irritation Knowledge about health hazard is incomplete.

Local effects

Methanol	Eye irritation Result: Non-irritant. Species: Rabbit Skin irritation Result: Non-irritant. Species: Rabbit
----------	---

Respiratory or skin sensitization

Respiratory sensitization Knowledge about sensitization hazard is incomplete.

Skin sensitization Knowledge about sensitization hazard is incomplete.

Methanol	Guinea pig maximization test Result: Negative.
----------	---

Germ cell mutagenicity Knowledge about mutagenicity is incomplete.

Mutagenicity

Methanol	Ames test (Salmonella typhimurium), +/- activation Result: Negative.
----------	---

Mutagenicity

Methanol

In vitro gene mutation test (Chinese hamster lung cells), +/- activation
Result: Negative.
Micronucleus test
Result: Negative.
Species: Mouse
Mutagenicity (Saccharomyces cerevisiae)
Result: Positive.
Mutagenicity: Parenteral study.
Result: Positive.
Species: Grasshopper

Carcinogenicity

May cause cancer.

Nitrosamines are reasonably anticipated to be a human carcinogen based on sufficient evidence of carcinogenicity from studies in experimental animals.

Methanol

< 1300 mg/m3 Tumorigenicity: Inhalation study.
Result: No observed adverse effect.
Species: Mouse
Test Duration: 18 months
10 - 1000 ppm Tumorigenicity: Inhalation study.
Result: No observed adverse effect.
Species: Rat
Test Duration: 18 months
Tumorigenicity: Dermal study, 25mL/twice weekly.
Result: One skin tumor observed in 80 subjects.
Species: Mouse
Test Duration: 50 weeks

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Knowledge about health hazard is incomplete.

Reproductivity

Methanol

20000 ppm Gestational study, gestation days 1-19.
Result: Increased incidence of anomalies in offspring and maternal effects.
Species: Rat
Organ: Inhalation
Developmental toxicity, 17-19 days after conception.
Result: Behavioral effects in offspring.
Species: Rat
Gestational study
Result: High doses increased fetal resorptions and malformations, including neural, cranial, and ocular defects.
Species: Mouse
Gestational study, gestation day 7 or 8.
Result: Vertebral abnormality in offspring.
Species: Rabbit

Specific target organ toxicity - single exposure

Causes damage to organs.

Specific target organ toxicity - repeated exposure

Knowledge about health hazard is incomplete.

Aspiration hazard

Knowledge about health hazard is incomplete.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	Species		Test Results
Deutero N-Nitrosodimethylamine RS (NDMA-d6)			
Aquatic			
Acute			
Crustacea	EC50	Daphnia	10010.0098 mg/l, 48 hours estimated
Fish	LC50	Fish	100.1001 mg/l, 96 hours estimated

Components		Species	Test Results
Methanol (CAS 67-56-1)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Octanol/water partition coefficient log Kow	
Methanol	-0.77

Mobility in soil No data available.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation potential.

13. Disposal considerations

Disposal instructions	Dispose in accordance with all applicable regulations. Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F The waste code should be assigned in discussion between the user, the producer and the waste disposal company. U154: Waste Methyl alcohol P082: Waste Methanamine, N-methyl-N-nitroso-
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number	UN1230
UN proper shipping name	Methanol, solution (Methanol RQ = 5005 LBS)
Transport hazard class(es)	
Class	3
Subsidiary hazard	-
Packing group	II
Environmental hazards	
Marine pollutant	No.
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242

IATA

UN number	UN1230
UN proper shipping name	Methanol solution (Methanol)
Transport hazard class(es)	
Class	3
Subsidiary hazard	6.1
Packing group	II

Other information

Passenger and cargo aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

DOT



IATA



General information

It is the shipper's responsibility to determine the correct transport classification at the time of shipment.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

Yes

Classified hazard categories

Flammable (gases, aerosols, liquids, or solids)
Acute toxicity (any route of exposure)
Carcinogenicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Methanol	67-56-1	99.9

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methanol (CAS 67-56-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

US state regulations

California Proposition 65



WARNING: This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1)

Listed: March 16, 2012

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 11-18-2025

Version # 01

Disclaimer USP materials are sold for analytical laboratory use only, and NOT for human consumption. The information contained herein is applicable solely to the chemical substance when used for analytical laboratory use and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP materials are intended for use by persons having technical skill and at their own discretion and risk. This information has been compiled by USP staff from sources considered to be scientifically reliable but has not been independently verified by USP. USP does not guarantee the accuracy or completeness of the information from these sources included herein nor should the statements contained herein be considered an official expression by USP. USP does not independently create or develop the information included in this safety data sheet. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE is made with respect to the information contained herein.