

1. Identification

Product identifier	Propyl Acetate	
Other means of identification		
Catalog number	1576402	
Chemical name	Acetic acid n-propyl ester	
Synonym(s)	n-Propyl acetate	
Recommended use	Specified quality tests and assay use only.	
Recommended restrictions	Not for use as a drug. Not for administration to humans or animals.	
Manufacturer/Importer/Supplier/Distributor information		
Company name	U. S. Pharmacopeia	
Address	12601 Twinbrook Parkway Rockville MD 20852-1790 US	
Telephone	RS Technical Services	301-816-8129
Website	www.usp.org	
E-mail	RSTECH@usp.org	
Emergency phone number	CHEMTREC within US & Canada	1-800-424-9300
	CHEMTREC outside US & Canada	+1 703-527-3887

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
OSHA hazard(s)	Not classified.	
Label elements		



Signal word	Danger	
Hazard statement	Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.	
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing vapors. Use only outdoors or in a well-ventilated area. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use appropriate media for extinction.	
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	Static accumulating flammable liquid	

3. Composition/information on ingredients

Substance

Hazardous components

Chemical name	Common name and synonyms	CAS number	%
Propyl Acetate	n-Propyl acetate	109-60-4	100

4. First-aid measures

Inhalation	Move to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes. Narcotic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Remove from exposure. Remove contaminated clothing. For treatment advice, seek guidance from an occupational health physician or other licensed health-care provider familiar with workplace chemical exposures. In the United States, the national poison control center phone number is 1-800-222-1222. If person is not breathing, give artificial respiration. If breathing is difficult, give oxygen if available. Persons developing serious hypersensitivity (anaphylactic) reactions must receive immediate medical attention.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	By heating and fire, harmful vapors/gases may be formed. No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. Use protective equipment appropriate for surrounding materials.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Avoid inhalation of vapors. Wear appropriate personal protective equipment.
Methods and materials for containment and cleaning up	Remove sources of ignition. Absorb spillage with suitable absorbent material. For waste disposal, see section 13 of the SDS. Clean surface thoroughly to remove residual contamination. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

7. Handling and storage

Precautions for safe handling	As a general rule, when handling USP Reference Standards, avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Clean equipment and work surfaces with suitable detergent or solvent after use. After removing gloves, wash hands and other exposed skin thoroughly.
Conditions for safe storage, including any incompatibilities	Store in tight container as defined in the USP-NF. This material should be handled and stored per label instructions to ensure product integrity.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Type	Value
Propyl Acetate (CAS 109-60-4)	PEL	840 mg/m3
		200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Material	Type	Value
Propyl Acetate (CAS 109-60-4)	REL	840 mg/m3
		200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Material	Type	Value
	STEL	1050 mg/m ³ 250 ppm

US. ACGIH Threshold Limit Values

Material	Type	Value
Propyl Acetate (CAS 109-60-4)	STEL	250 ppm
	TWA	200 ppm

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Airborne exposure should be controlled primarily by engineering controls such as general dilution ventilation, local exhaust ventilation, or process enclosure. Local exhaust ventilation is generally preferred to general exhaust because it can control the contaminant at its source, preventing dispersion into the work area. An industrial hygiene survey involving air monitoring may be used to determine the effectiveness of engineering controls. Effectiveness of engineering controls intended for use with highly potent materials should be assessed by use of nontoxic surrogate materials.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Safety glasses with sideshields are recommended. Face shields or goggles may be required if splash potential exists or if corrosive materials are present. Approved eye protection (e.g., bearing the ANSI Z87 or CSA stamp) is preferred. Maintain eyewash facilities in the work area.
Skin protection	
Hand protection	Chemically compatible gloves. For handling solutions, ensure that the glove material is protective against the solvent being used. Use handling practices that minimize direct hand contact. Employees who are sensitive to natural rubber (latex) should use nitrile or other synthetic nonlatex gloves. Use of powdered latex gloves should be avoided due to the risk of latex allergy.
Other	For handling of laboratory scale quantities, a cloth lab coat is recommended. Where significant quantities are handled, work clothing may be necessary to prevent take-home contamination.
Respiratory protection	Where respirators are deemed necessary to reduce or control occupational exposures, use NIOSH-approved respiratory protection and have an effective respirator program in place (applicable U.S. regulation OSHA 29 CFR 1910.134).
Thermal hazards	Not available.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance	Clear colorless liquid
Physical state	Liquid.
Form	Liquid.
Odor	Mild, pleasant, pear-like, fruity odor.
Odor threshold	0.18 ppm (detectable); 1.9 ppm (recognizable).
pH	Not available.
Melting point/freezing point	-139 °F (-95 °C) / -135.4 °F (-93 °C)
Initial boiling point and boiling range	210.2 - 215.6 °F (99 - 102 °C) 101.325 kPa.
Flash point	57.20 °F (14.00 °C) (closed cup).
Evaporation rate	6.1 (diethyl ether = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	1.7 %
Flammability limit - upper (%)	8 %
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	4.786 kPa at 25 °C
Vapor density	3.5 (air = 1).
Relative density	Not available.
Solubility in water	20 g/l

	Slightly soluble.
Partition coefficient (n-octanol/water)	1.23
Auto-ignition temperature	842 °F (450 °C)
Viscosity	Not available.
Other information	
Chemical family	Aliphatic carboxylic acid ester
Molecular formula	C5H10O2
Molecular weight	102.13
Solubility (other)	Soluble in alcohols, in ketones, in esters, in hydrocarbons, and in diethyl ether.
Specific gravity	0.887 at 20 ° C.

10. Stability and reactivity

Reactivity	No reactivity hazards known.
Chemical stability	Stable at normal conditions. Risk of explosion.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames, and sparks. High temperatures.
Incompatible materials	Oxidizing materials. Strong acids. Strong bases. Potassium tert-butoxide. Reactive nitrogen compounds. Nitrates.
Hazardous decomposition products	Carbon oxides. Irritating and/or toxic fumes or gases. Emits toxic fumes under fire conditions.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Based on available data, the classification criteria are not met.
Inhalation	Due to lack of data the classification is not possible.
Skin contact	Due to lack of data the classification is not possible.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical, and toxicological characteristics	Eye, nose and throat irritation. Coughing. Shortness of breath. Headache. Dizziness. Drowsiness. Confusion. Loss of consciousness. Tearing. Nausea. Vomiting.
Medical conditions aggravated by exposure	Chronic respiratory, skin, kidney, or liver disease.
Acute toxicity	Due to lack of data the classification is not possible.

Product	Species	Test Results
Propyl Acetate (CAS 109-60-4)		
Acute <i>Oral</i> LD50	Mouse	8300 mg/kg
	Rabbit	6.64 g/kg
	Rat	9370 mg/kg
Skin corrosion/irritation	Due to lack of data the classification is not possible.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitization	Due to lack of data the classification is not possible.	
Skin sensitization	Due to lack of data the classification is not possible.	
Germ cell mutagenicity	Due to lack of data the classification is not possible.	
Carcinogenicity	Due to lack of data the classification is not possible.	
Reproductive toxicity	Due to lack of data the classification is not possible.	
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.	
Specific target organ toxicity - repeated exposure	Due to lack of data the classification is not possible.	
Aspiration hazard	Due to lack of data the classification is not possible.	

12. Ecological information

Ecotoxicity

Product	Species	Test Results
Propyl Acetate (CAS 109-60-4)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) 56 - 64 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	Not available.	
Mobility in soil	Not available.	
Other adverse effects	Not available.	

13. Disposal considerations

Disposal instructions	Dispose in accordance with all applicable regulations. Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number	UN1276
UN proper shipping name	n-Propyl acetate
Transport hazard class(es)	3
Subsidiary class(es)	Not available.
Packing group	II

IATA

UN number	UN1276
UN proper shipping name	n-Propyl acetate
Transport hazard class(es)	3
Subsidiary class(es)	-
Packaging group	II

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

DOT



IATA



15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical Yes

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 03-16-2006

Revision date 07-21-2015

Version # 03

Further information Not available.

Disclaimer USP Reference Standards are sold for chemical test and assay purposes only, and NOT for human consumption. The information contained herein is applicable solely to the chemical substance when used as a USP Reference Standard and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP Reference Standards are intended for use by persons having technical skill and at their own discretion and risk. This information has been developed by USP staff from sources considered reliable but has not been independently verified by the USP. Therefore, the USP Convention cannot guarantee the accuracy of the information in these sources nor should the statements contained herein be considered an official expression. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE is made with respect to the information contained herein.

Revision Information Hazard(s) identification: <INDENT>Response
Hazard(s) identification: Supplemental hazard statements
Hazard(s) identification: <INDENT>Disposal
Hazard(s) identification: <INDENT>Prevention
Physical & Chemical Properties: Multiple Properties